

Restrictions and Limits transport of mobiles phones, laptops and tablets equipped with lithium ion battery less than 100 Wh







National: Restrictions and Limits: Battery lithium ion with a power rating less than 100 Wh installed in mobile phone





1 mobile phone



packed with cushioning and reinforcing material

Battery lithium ion less than 100 Wh installed in mobile phone



Packaging

· Strong rigid outer packaging

Limit weight per package



none

Required labels / marks

Not applicable

General restrictions

- Acceptable to most locations
- Batteries/cells known to be damaged or defective are prohibited from transport
- · Waste batteries and batteries being shipped for recycling/disposal are prohibited from transport

Documentation

None

- [FX-05 b] All lithium batteries (Section I/IA/IB and Section II) in all packing instructions
 must not be shipped in the same package or overpack with the following Hazard Classes/Divisions: 1.4, 2.1, 3, 4.1, 4.2, 4.3, 5.1, 5.2, 8, or 2.2 with a Cargo Aircraft Only (CAO) label. Exception: If the only lithium batteries are Section II and are those in packages that are excepted from having the Lithium Battery Mark, then do not select UN 3481 PI 967 in the FedEx automation system (so ELB does not appear on the automation label) for devices such as temperature control devices.
- [FX-05 c] Shippers sending any data loggers or data monitors (other than FedEx SenseAware®) require pre-approval. Contact your Worldwide Account Manager (WAM) to initiate the process. If you do not have a WAM, you may contact your sales or account manager. Devices are approved by manufacturer and model number, and a shipper may request the approval. You may contact your WAM, Sales, or Account Manager to determine if your device is approved.
- [FX-04 f] Hoverboards or similar self-balancing vehicles (UN 3171) will only be accepted from companies if new, in unopened original packaging. Used, refurbished self-balancing vehicles shipments from individuals, resellers or third parties will not be
- [FX-05 a] All batteries transported under IATA Special Provision A88 and A99 must be pre-approved. Customers can email A88A99approvalrequest@fedex.com to begin the
- No Dangerous Goods surcharge



National: Restrictions and Limits: Battery lithium ion with a power rating less than 100 Wh installed in laptop



1 mobile laptop



packed with cushioning and reinforcing material



Required labels / marks

Not applicable

Documentation

None

Battery lithium ion less than 100 Wh installed in laptop

Packaging

· Strong rigid outer packaging

Limit weight per package



none

General restrictions

- · Acceptable to most locations
- Batteries/cells known to be damaged or defective are prohibited from transport
- Waste batteries and batteries being shipped for recycling/disposal are prohibited from transport

- [FX-05 b] All lithium batteries (Section I/IA/IB and Section II) in all packing instructions
 must not be shipped in the same package or overpack with the following Hazard
 Classes/Divisions: 1.4, 2.1, 3.41, 4.2, 4.3, 5.1, 5.2, 8, or 2.2 with 1a Cargo Aircraft Only
 (CAO) label. Exception: If the only lithium batteries are Section II and are those in
 packages that are excepted from having the Lithium Battery Mark, then do not select
 UN 3481 PI 967 in the FedEx automation system (so ELB does not appear on the
 automation label) for devices such as temperature control devices.
- [FX-O5 c] Shippers sending any data loggers or data monitors (other than FedEx SenseAware*) require pre-approval. Contact your Worldwide Account Manager (WAM) to initiate the process. If you do not have a WAM, you may contact your sales or account manager. Devices are approved by manufacturer and model number, and a shipper may request the approval. You may contact your WAM, Sales, or Account Manager to determine if your device is approved.
- [FX-04f] Hoverboards or similar self-balancing vehicles (UN 3171) will only be accepted from companies if new, in unopened original packaging. Used, refurbished self-balancing vehicles shipments from individuals, resellers or third parties will not be accepted.
- [FX-05 a] All batteries transported under IATA Special Provision A88 and A99 must be pre-approved. Customers can email <u>A88A99approvalrequest@fedex.com</u> to begin the process.
- · No Dangerous Goods surcharge



National: Restrictions and Limits: Battery lithium ion with a power rating less than 100 Wh installed in tablet





1 tablet



packed with cushioning and reinforcing material

Battery lithium ion less than 100 Wh installed in tablet

Packaging

• Strong rigid outer packaging

Limit weight per package



none

Required labels / marks

Not applicable

General restrictions

- Acceptable to most locations
- Batteries/cells known to be damaged or defective are prohibited from transport
- Waste batteries and batteries being shipped for recycling/disposal are prohibited from transport

Documentation

None

- [FX-05 b] All lithium batteries (Section I/IA/IB and Section II) in all packing instructions
 must not be shipped in the same package or overpack with the following Hazard
 Classes/Divisions: 1.4, 2.1, 3, 4.1, 4.2, 4.3, 5.1, 5.2, 8, or 2.2 with a Cargo Aircraft Only
 (CAO) label. Exception: If the only lithium batteries are Section II and are those in
 packages that are excepted from having the Lithium Battery Mark, then do not select
 UN 3481 P1967 in the FedEx automation system (so ELB does not appear on the
 automation label) for devices such as temperature control devices.
- [FX-05 c] Shippers sending any data loggers or data monitors (other than FedEx SenseAware®) require pre-approval. Contact your Worldwide Account Manager (WAM) to initiate the process. If you do not have a WAM, you may contact your sales or account manager. Devices are approved by manufacturer and model number, and a shipper may request the approval. You may contact your WAM, Sales, or Account Manager to determine if your device is approved.
- [FX-04 f] Hoverboards or similar self-balancing vehicles (UN 3171) will only be accepted from companies if new, in unopened original packaging. Used, refurbished self-balancing vehicles shipments from individuals, resellers or third parties will not be accepted.
- [FX-05 a] All batteries transported under IATA Special Provision A88 and A99 must be pre-approved. Customers can email <u>A88A99approvalrequest@fedex.com</u> to begin the process.
- No Dangerous Goods surcharge



International:

Restrictions and Limits:
Battery lithium ion with a power rating less than 100 Wh installed in mobile phone











1 mobile phone



packed with cushioning and reinforcing material

Battery lithium ion less than 100 Wh installed in mobile phone



Required labels / marks

Not applicable

Packaging

Strong rigid outer packaging

Limit weight per package





None

General restrictions

- Acceptable to most locations
- Batteries/cells known to be odamaged or defective are prohibited from transport
- Waste batteries and batteries being shipped for recycling/disposal are prohibited from transport

Documentation

None

- [FX-05 b] All lithium batteries (Section I/IA/IB and Section II) in all packing instructions
 must not be shipped in the same package or overpack with the following Hazard
 Classes/Divisions: 1.4, 2.1, 3, 4.1, 4.2, 4.3, 5.1, 5.2, 8, or 2.2 with a Cargo Aircraft Only
 (CAO) label. Exception: If the only lithium batteries are Section II and are those in
 packages that are excepted from having the Lithium Battery Mark, then do not select
 UN 3481 P1967 in the FedEx automation system (so ELB does not appear on the
 automation label) for devices such as temperature control devices.
- [FA-O5 c] Shippers sending any data loggers or data monitors (other than FedEx SenseAware®) require pre-approval. Contact your Worldwide Account Manager (WAM) to initiate the process. If you do not have a WAM, you may contact your sales or account manager. Devices are approved by manufacturer and model number, and a shipper may request the approval. You may contact your WAM, Sales, or Account Manager to determine if your device is approved.
- [FX-04f] Hoverboards or similar self-balancing vehicles (UN 3171) will only be accepted from companies if new, in unopened original packaging. Used, refurbished self-balancing vehicles shipments from individuals, resellers or third parties will not be accepted.
- [FX-05 a] All batteries transported under IATA Special Provision A88 and A99 must be pre-approved. Customers can email <u>A88A99approvalrequest@fedex.com</u> to begin the process.
- · No Dangerous Goods surcharge



International:

Restrictions and Limits: Battery lithium ion with a power rating less than 100 Wh installed in laptop













packed with cushioning and reinforcing material

Battery lithium ion less than 100 Wh installed in laptop



Required labels / marks

Not applicable

General restrictions

- Acceptable to most locations
- Waste batteries and batteries being shipped for recycling/disposal are

- Batteries/cells known to be damaged or defective are prohibited from transport
- prohibited from transport

FedEx Express restrictions

None

. [FX-05 b] All lithium batteries (Section I/IA/IB and Section II) in all packing instructions must not be shipped in the same package or overpack with the following Hazard Classes/Divisions: 1.4, 2.1, 3, 4.1, 4.2, 4.3, 5.1, 5.2, 8, or 2.2 with a Cargo Aircraft Only (CAO) label. Exception: If the only lithium batteries are Section II and are those in packages that are excepted from having the Lithium Battery Mark, then do not select UN 3481 PI 967 in the FedEx automation system (so ELB does not appear on the automation label) for devices such as temperature control devices.

Documentation

- [FX-05 c] Shippers sending any data loggers or data monitors (other than FedEx SenseAware®) require pre-approval. Contact your Worldwide Account Manager (WAM) to initiate the process. If you do not have a WAM, you may contact your sales or account manager. Devices are approved by manufacturer and model number, and a shipper may request the approval. You may contact your WAM, Sales, or Account Manager to determine if your device is approved.
- [FX-04f] Hoverboards or similar self-balancing vehicles (UN 3171) will only be accepted from companies if new, in unopened original packaging. Used, refurbished self-balancing vehicles shipments from individuals, resellers or third parties will not be
- [FX-05 a] All batteries transported under IATA Special Provision A88 and A99 must be pre-approved. Customers can email A88A99approvalrequest@fedex.com to begin the
- No Dangerous Goods surcharge

Packaging

Strong rigid outer packaging

Limit weight per package





None



International:

Restrictions and Limits:
Battery lithium ion with a power rating less than 100 Wh installed in tablet








1 tablet



packed with cushioning and reinforcing material





Packaging

· Strong rigid outer packaging

Limit weight per package





None

Required labels / marks

Not applicable a

General restrictions

- Acceptable to most locations
- Batteries/cells known to be damaged or defective are prohibited from transport
- Waste batteries and batteries being shipped for recycling/disposal are prohibited from transport

Documentation

None

- [FX-05 b] All lithium batteries (Section I/IA/IB and Section II) in all packing instructions must not be shipped in the same package or overpack with the following Hazard Classes/Divisions: 1.4, 2.1, 3, 4.1, 4.2, 4.3, 5.1, 5.2, 8, or 2.2 with a Cargo Aircraft Only (CAO) label. Exception: If the only lithium batteries are Section II and are those in packages that are excepted from having the Lithium Battery Mark, then do not select UN 3481 PI 967 in the FedEx automation system (so ELB does not appear on the automation label) for devices such as temperature control devices.
- [FA-O5 c] Shippers sending any data loggers or data monitors (other than FedEx SenseAware®) require pre-approval. Contact your Worldwide Account Manager (WAM) to initiate the process. If you do not have a WAM, you may contact your sales or account manager. Devices are approved by manufacturer and model number, and a shipper may request the approval. You may contact your WAM, Sales, or Account Manager to determine if your device is approved.
- [FX-04f] Hoverboards or similar self-balancing vehicles (UN 3171) will only be accepted from companies if new, in unopened original packaging. Used, refurbished self-balancing vehicles shipments from individuals, resellers or third parties will not be accepted.
- [FX-05 a] All batteries transported under IATA Special Provision A88 and A99 must be pre-approved. Customers can email <u>A88A99approvalrequest@fedex.com</u> to begin the process.
- No Dangerous Goods surcharge